

Таблица строчек




Таблица строек

❖ Группа А



Таблица строек		Ширина(мм)		Длина(мм)		Лапка	Функции		
		Авто	Ручное	Авто	Ручное		Реверс	Авто блок	
Полезные строчки (рабочие)	01		3.5	0.0~7.0	2.5	0.0~5.0	T	*	*
	02		0.0	0.0~7.0	2.5	0.0~5.0	T	*	*
	03		3.5	0.0~7.0	2.5	1.0~3.0	T	*	*
	04		3.5	1.0~6.0	2.5	1.0~3.0	T	*	*
	05		3.5	0.0~7.0	2.5	1.5~3.0	T	*	*
	06		5.0	0.0~7.0	2.0	0.3~1.0 1.0~4.5	T	*	*
	07		5.0	2.0~7.0	1.0	0.3~1.0 1.0~4.5	T	*	*
	08		5.0	2.5~7.0	2.5	1.0~3.0	A	*	*
	09		5.0	3.5~7.0	2.5	1.0~3.0	E	*	*
	10		5.0	3.5~7.0	2.5	1.0~3.0	T	*	*
	11		5.0	2.5~7.0	2.5	1.0~3.0	T	*	*
	12		5.0	2.5~7.0	2.5	1.0~3.0	T	*	*
	13		3.5	1.0~7.0	2.0	0.5~4.5	F	*	*
	14		3.5	1.0~7.0	2.0	0.5~4.5	T	*	*
	15		3.5	2.5~7.0	1.0	0.5~4.5	F	*	*
	16		3.5	2.5~7.0	1.0	0.5~4.5	T	*	*
	17		5.0	2.5~7.0	2.5	1.0~3.0	T	*	*
	18		7.0	2.5~7.0	2.5	1.0~3.0	A	*	*
	19		5.0	2.5~7.0	2.5	1.0~3.0	A	*	*
Выметывание петель	20		5.0	3.0~7.0	0.4	0.3~1.0	D		
	21		5.0	3.0~5.5	0.4	0.3~1.0	D		
	22		7.0	5.5~7.0	0.4	0.3~1.0	D		
	23		5.0	3.0~5.5	0.4	0.3~1.0	D		
	24		5.0	3.0~5.5	0.4	0.3~1.0	D		
	25		6.0	3.0~7.0	1.0	1.0~2.0	D		
Проушина	26		7.0	7.0, 6.0, 5.0	—	—	A		
Пришивание пуговиц	27		3.5	2.5~4.5	—	—	H		
Сатиновые (атласные)	28		7.0	2.5~7.0	0.4	0.3~1.0	A	*	*
	29		7.0	2.5~7.0	0.4	0.3~1.0	A	*	*
	30		7.0	2.5~7.0	0.4	0.3~1.0	A	*	*
	31		7.0	2.5~7.0	0.4	0.3~1.0	A	*	*
	32		7.0	2.5~7.0	0.4	0.3~1.0	A	*	*
	33		7.0	2.5~7.0	0.4	0.3~1.0	A	*	*
	34		7.0	2.5~7.0	0.4	0.3~1.0	A	*	*
	35		7.0	2.5~7.0	0.4	0.3~1.0	A	*	*
	36		7.0	2.5~7.0	0.4	0.3~1.0	A	*	*
	37		7.0	2.5~7.0	0.4	0.3~1.0	A	*	*
	38		7.0	2.5~7.0	0.4	0.3~1.0	A	*	*
	39		7.0	2.5~7.0	0.4	0.3~1.0	A	*	*
	40		7.0	2.5~7.0	0.4	0.3~1.0	A	*	*
	41		7.0	2.5~7.0	0.4	0.3~1.0	A	*	*
	42		7.0	2.5~7.0	0.4	0.3~1.0	A	*	*
	43		7.0	2.5~7.0	0.4	0.3~1.0	A	*	*
	44		7.0	2.5~7.0	0.4	0.3~1.0	A	*	*
	Декоративная атласная	45		7.0	2.5~7.0	1.5	1.5~3.0	A	*
46			7.0	2.5~7.0	1.5	1.5~3.0	A	*	*
47			7.0	2.5~7.0	1.0	1.0~2.0	A	*	*
48			7.0	2.5~7.0	1.5	1.5~3.0	A	*	*
49			7.0	3.5~7.0	1.5	1.0~3.0	A	*	*
50			7.0	4.0~7.0	1.5	1.5~3.0	A	*	*

Таблица строчек		Ширина (мм)		Length(mm)		Лапка	Функции		
		Авто	Ручное	Авто	Ручное		Реверс	Авто блок	
Крестообразные	51		5.0	2.5~7.0	2.5	1.0~3.0	A	*	*
	52		6.0	3.0~7.0	1.0	1.0~3.0	A	*	*
	53		6.0	3.0~7.0	1.0	1.0~3.0	A	*	*
	54		4.0	3.0~7.0	1.0	1.0~3.0	A	*	*
	55		6.0	3.0~7.0	1.5	1.0~3.0	A	*	*

❖ Группа В



Таблица строчек		Ширина (мм)		Length(mm)		Лапка	Функции		
		Авто	Ручное	Авто	Ручное		Реверс	Авто блок	
Квилтинг	01		5.0	2.5~7.0	2.0	1.0~4.5	T	*	*
	02		4.0	2.5~7.0	2.0	1.0~4.5	T	*	*
	03		3.5	2.5~7.0	2.5	1.5~3.0	T	*	*
	04		3.5	2.5~7.0	2.5	1.5~3.0	T	*	*
	05		3.5	2.5~7.0	2.5	1.5~3.0	T	*	*
	06		3.5	2.5~7.0	2.5	1.5~3.0	T	*	*
	07		4.0	2.5~7.0	2.5	1.5~3.0	A	*	*
	08		4.0	2.5~7.0	2.5	1.5~3.0	A	*	*
	09		3.5	2.5~7.0	2.5	1.5~3.0	T	*	*
	10		6.0	3.0~7.0	2.0	1.0~4.5	T	*	*
	11		6.0	3.0~7.0	2.0	1.0~4.5	T	*	*
	12		7.0	3.0~7.0	1.5	1.0~4.5	T	*	*
	13		6.0	3.0~7.0	2.0	1.0~3.0	T	*	*
	14		5.0	3.0~7.0	2.0	1.0~3.0	T	*	*
	15		5.0	2.5~7.0	2.0	1.0~3.0	T	*	*
	16		6.0	3.5~7.0	1.5	1.0~3.0	T	*	*
	17		5.0	3.5~7.0	1.5	1.5~3.0	A	*	*
	18		5.0	2.5~7.0	1.0	1.0~4.5	T	*	*
	19		6.0	3.0~7.0	2.0	1.0~3.0	T	*	*
	20		7.0	2.5~7.0	1.5	1.0~3.0	A	*	*
Декоративные	21		6.0	2.5~7.0	1.5	1.0~3.0	T	*	*
	22		7.0	2.5~7.0	2.0	1.0~3.0	T	*	*
	23		5.0	2.5~7.0	2.0	1.0~3.0	T	*	*
	24		6.0	2.5~7.0	3.0	1.0~3.0	T	*	*
	25		5.0	4.0~7.0	2.5	1.5~3.0	A	*	*
	26		6.0	3.5~7.0	2.0	1.5~3.0	A	*	*
	27		5.0	2.5~7.0	2.5	1.0~3.0	A	*	*
	28		6.0	3.5~7.0	2.0	1.5~3.0	A	*	*
	29		6.0	4.5~7.0	1.5	1.0~3.0	A	*	*
	30		5.0	3.0~7.0	2.0	2.0~3.0	A	*	*
	31		5.0	4.0~7.0	1.5	1.0~3.0	A	*	*
	32		7.0	2.5~7.0	2.0	1.0~3.0	T	*	*
	33		7.0	2.5~7.0	2.5	1.5~3.0	T	*	*
	34		5.0	2.5~7.0	2.5	1.5~3.0	T	*	*
	35		5.0	2.5~7.0	2.5	1.5~3.0	T	*	*
	36		5.0	3.0~7.0	3.0	1.5~3.0	A	*	*
	37		7.0	3.0~7.0	2.0	1.0~3.0	T	*	*
	38		7.0	4.0~7.0	3.0	2.0~3.0	A	*	*
	39		7.0	3.0~7.0	2.0	1.5~3.0	A	*	*
	40		7.0	3.5~7.0	2.0	1.0~3.0	T	*	*

Stitch Pattern		Ширина (мм)		Length(mm)		Лапка	Функции		
		Авто	Ручное	Авто	Ручное		Реверс	Авто блок	
Декоративные	41		7.0	4.0~7.0	2.0	2.0~3.0	A	*	*
	42		7.0	2.5~7.0	2.5	1.0~4.5	T	*	*
	43		7.0	2.5~7.0	1.5	1.0~3.0	T	*	*
	44		7.0	4.0~7.0	2.5	2.0~3.0	A	*	*
	45		5.0	2.5~7.0	2.0	2.0~3.0	A	*	*
	46		7.0	3.5~7.0	1.0	1.0~3.0	A	*	*
	47		7.0	4.0~7.0	3.0	2.0~3.0	A	*	*
	48		7.0	4.0~7.0	2.0	1.0~3.0	A	*	*
	49		7.0	3.0~7.0	3.0	1.0~3.0	A	*	*
	50		7.0	3.0~7.0	2.0	1.5~3.0	A	*	*
	51		5.0	3.5~7.0	1.0	1.0~3.0	A	*	*
	52		5.0	4.0~7.0	2.0	2.0~3.0	A	*	*
	53		7.0	3.0~7.0	2.0	1.5~3.0	A	*	*
	54		7.0	2.5~7.0	2.0	1.0~3.0	A	*	*
	55		7.0	2.5~7.0	2.5	1.5~3.0	A	*	*
	56		7.0	3.5~7.0	2.5	1.5~3.0	T	*	*
	57		7.0	3.0~7.0	2.5	1.0~3.0	T	*	*
	58		7.0	2.5~7.0	2.0	1.5~3.0	T	*	*
	59		5.0	2.5~7.0	2.0	1.0~3.0	T	*	*
	60		5.0	2.5~7.0	1.5	1.0~3.0	T	*	*
	61		5.5	2.5~7.0	2.0	1.5~3.0	T	*	*
	62		5.0	2.5~7.0	2.0	1.0~3.0	T	*	*
	63		5.0	2.5~7.0	2.0	1.0~3.0	T	*	*
	64		5.0	3.0~7.0	2.0	1.0~3.0	T	*	*
	65		6.0	4.0~7.0	2.0	2.0~3.0	A	*	*